



USB 2.0 Type-C Device Cable

USB-C Male to USB-C Male, 3 m (10 ft.), Hi-Speed USB, 480 Mbps, 60 W / 3 A, Black

Part No.: [354882](#)

EAN-13: 0766623354882 | UPC: 766623354882

Manhattan Hi-Speed USB-C Cables easily connect USB peripherals and accessories to USB-C peripherals and accessories. They support data transfer rates of up to 480 Mbps on Windows and Mac systems for fast, reliable transmissions. Nickel-plated contacts, shielding and fully molded boots with strain relief provide dependable connections, maximum conductivity and minimal data loss with reduced EMI interference.

Features:

- USB-C male to USB-C male
- Connects a USB-C device to a USB-C device
- Supports speeds of up to 480 Mbps and fast charging of up to 3 A (60 W)
- Charges a USB-C powered device such as a notebook, Macbook Pro® or tablet from a USB-C PD wall charger or powerbank
- Hi-Speed USB for ultra-fast data transfer rates and zero data degradation
- Lifetime Warranty

Specifications:

Standards and Certifications

- USB 2.0

Connectors

- Two USB-C male
- Nickel plated

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Molded PVC boot

Cable

- 30 + 28 + 23 AWG conductors
- Shielded
- Withstanding voltage: 300 VDC 10 ms
- Insulation resistance: 10 MOhm
- Contact resistance: 2 Ohm
- Thermal plastic casing
- Net weight: 68 g (0.15 lbs.)
- Gross weight: 75 g (0.17 lbs.)

Package Contents

- Hi-Speed USB-C Cable



